

STAN

Stan

ALL-IN-ONE KIOSK SOLUTION



FEATURES

- Full HD 1920 x 1080 resolution
- 27" Touch Display 10-point Projected Capacitive Touch
- Stylish and lightweight design
- Floor stand or wall-mount options
- Integrated 80mm printer and 2D Scanner
- Front open design for quick and easy service

Specifications

		Stan
Housing	Color	Satin White, RAL 9016. Any other RAL color range on request
	Material	Housing in Satin white, made of 2-4mm sheet steel with a 10mm thick base. High-re- sistanc- ce industrial powder paint with a thickness of 35 microns.
	Closing system	Safety closing system with 135° frontal opening.
	Ventilation system	Forced ventilation system, 2xAirFlow 21-37CFM/Axial AC
System	CPU	Themis Argo: Processor on customer request (Intel® Celeron® J6412 , Intel® i3-8145U and Intel® i5-1135G7)
	Memory	8GB
	Storage	120 GB SATA III SSD
	OS	Windows 10 IoT
Display	Max. Resolution	1920 x 1080 (16:9)
	Size	27" or 32"
	Brightness	300 cd/m2
	Contrast	04.05.1900 00:01:00
	Viewing Angle	H:178° / V:178°
	Display Flame Rate	60Hz
	Backlight	LED
	Supported Colors	16.7M Colors
	Touch	10 points Projected Capacitive (PCT)
Scanner		1D-2D - Interface USB. 2D: PDF417, Data Matrix, QR Code, IP65, contactless 1D: EAN-13, EAN-8, UPC-A, UPC-E, ISSN, ISBN, Codabar, Code 128, Code 93, ITF-6, ITF-14, Interleaved 2 of 5, Industrial 2 of 5, Standard 2 of 5, Matrix 2 of 5, GS1 Databar (RSS-Expand, RSS-Limited, RSS-14), Code 39, Code 11, MSI-Plessey
Power		100V-240V,50-60Hz
Dimensions		27" 1800 L x 500 W x 165 H 32" 1865 L x 610 W x 300 H
Configurations		Single / Double / Wallmount
Weight		27" 60 kg 32" 75 kg

Specifications

		Stan
Sewoo Industrial Printer SMK3S-V80	Printing Method	Thermal line printing
	Dot density	203dpi x 203dpi
	Printing direction	Unidirectional with friction feed
	Printing width	72mm (2.83"), 576 dot positions (203dpi) 80mm (3.15"), 640 dot positions (203dpi)
	Characters per line (default)	Font A : 48 CPL (12x24) Font B : 64 CPL (9x17)
	Printing speed	High speed mode: (203dpi x 203dpi) Approximately 220mm/sec maximum (1/6inch feed) (at 24V, 20°C)
Options	RP700 printer	On request (https://partner-tech.eu/portfolio-items/rp-700/)
	WIFI	Dual Band 2.4GHz/5GHz
	Camera	Webcam HD Pro C930 - Max. Resolution: 1080p/30 fps - 720p/30 fps. Automatic focus
	Microphone	On request
	NFC	On request
	Bracket	Bracket for payment terminal on request
	Mounting	Single, VESA (Wallmount or Ceiling) and Double Size

Contact Now

Germany +49 40 450 635-0
 United Kingdom +44 1928 579 707
 Spain +34 913 120632
 Slovenia +386 1 566 25 20
 Poland +48 22 115 93 82

info@partner-tech.eu
sales-uk@partner-tech.eu
comercial@partner-tech.eu
prodaja@partner-tech.eu
officepoland@partner-tech.eu

