



Home Improvement Product Catalog

Delivering high performance products since 1936



For over 84 years now, we've been driven by a passion to make products that work right the first time. Like you, we get frustrated by the screwdriver that bends, or tires that wear out too soon. That's why we only make high-performance products designed to work best for their applications. You won't find a good-better-best mindset at Sashco. Why? To help prevent needless frustration and redoing the same project again and again because the product wasn't up for the job. (Hint: your caulk shouldn't crack!) We like to call it "delighting the customer with a better way."

Table of Contents

Big Stretch®	4-5
CleanSeal™	6-7
Lexel®	8-9
Through the ROOF!®	10-11
eXact color®	12-13
Mor-Flexx®	14-15
Slab®	16-17
Filler Rope™	18
General Info	19-20

Sashco's High Performance Sealants Line Delivers:

- Confidence
- Trust
- Reputation

Sashco is a different kind of caulking company. We strive to exceed your expectations and buck the notion that caulking failure is the norm. It's not. We are obsessively focused on creating quality sealants. That's why we don't make good, better, best; or multiple sealant lines. Only high-performance sealants for every project.

All Sashco Products Are

- ✓ Elastic
- ✓ Powerful adhesion
- ✓ Paintable*
- ✓ Stop-flow plunger
- ✓ Freeze-thaw stable
- ✓ Repairable (sticks to itself)
- ✓ Limited Lifetime Warranty
- ✓ Made in the USA

* Paint will interfere with enzymes in CleanSeal®



Talk to Real People.

Call us toll free at 800-767-5656. Customer Service Representatives are available to answer your questions Monday-Friday 6:00 AM to 5:00 PM Mountain Standard Time.

Or, contact us at: www.sashco.com/contact-us



Homes Move

Homes move. Window frames pull away from the siding or doors shift against the brick. They move when the temperature changes, the rain falls, the wind blows or the earth quakes. Most caulks can't take it – they dry hard and crack. That's why you need Big Stretch high performance water-based sealant. Its powerful adhesion and extreme elasticity will stick, twist, bend, compress, and stretch – more than 500% of original size! – to handle most any movement your home can dish out, all without cracking.

Features & Benefits

Keeps the weather where it belongs - outside: Moves when your home moves to create a permanently waterproof and weatherproof seal.

Helps you avoid repeated repairs: Just say no to brittle, cracked caulking. Stays soft and elastic over time for a years-long, lasting seal.

Sticks, even to difficult surfaces: Compatible with a wide variety of building materials, including difficult ones like vinyl windows and siding. No need to search for a product specific to every different surface.

Professional-looking results every time: The smooth formula is easy to apply, even for a novice.

Paintable: Paint adheres like a pro, so go ahead and paint your wall bright blue. Also available in 12 colors and clear, in case you don't want to paint it.

Easy to use: Easy to smooth and clean-up with water. No special chemicals required. OK to leave in your unheated garage overnight: Freeze-thaw stable through 10 cycles.

* 29 OZ. Cartridge is only available in White.

Description	Case Pack	Item #	Item UPC	Case UPC
10.5 OZ. Almond	12	10002	0 31525 10002 9	0 31525 91002 4
10.5 OZ. Black	12	10004	0 31525 10004 3	0 31525 91004 8
10.5 OZ. Clear	12	10006	0 31525 10006 7	0 31525 91006 2
10.5 OZ. Dark Brown	12	10008	0 31525 10008 1	0 31525 91008 6
10.5 OZ. Gray	12	10010	0 31525 10010 4	0 31525 91010 9
10.5 OZ. Redwood	12	10012	0 31525 10012 8	0 31525 91012 3
10.5 OZ. Tan	12	10014	0 31525 10014 2	0 31525 91014 7
10.5 OZ. White	12	10016	0 31525 10016 6	0 31525 91016 1
10.5 OZ. Woodtone	12	10018	0 31525 10018 0	0 31525 91018 5
10.5 OZ. Ironstone	12	10020	0 31525 10020 3	0 31525 91020 8
10.5 OZ. Limestone	12	10022	0 31525 10022 7	0 31525 91022 2
10.5 OZ. Pine Green	12	10024	0 31525 10024 1	0 31525 91024 6
10.5 OZ. Slate Gray	12	10026	0 31525 10026 5	0 31525 91026 0
29 OZ. White	10	10086	0 31525 10086 9	0 31525 91086 4

Won't Crack...It Just Stretches

Where to Use

Big Stretch is perfect for many interior and exterior applications, including:

- Baseboards
- Crown moulding
- Doors
- Eaves
- Siding
- Soffits
- Sound-proofing interior walls
- Vents
- Windows

Adheres to a variety of building materials and other surfaces, including:

- ABS
- Acrylic sheet
- Aluminum
- Anodized windows
- Asphalt
- Brass
- Brick
- Cinder block
- Concrete
- Drywall
- EIFS
- Fiber cement
- Fiberglass
- Glass
- Mortar
- Nylon
- PVC
- Steel
- Stone
- Stucco
- Tile
- Urethane
- Vinyl
- Wood



Did You Know?

Big Stretch can stretch up to 500% of its original width. Scan the code to learn more about Big Stretch or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us



Big Stretch

New

No mold. No mildew. No scrubbing needed!



Why does mold grow so quickly? Because you're feeding it!

Mold feeds on body oils, shower products, cooking oils, and bacon grease that collect in the corners of your shower and kitchen. That's why we created CleanSeal™, the first ever active enzyme caulk that eliminates mold food! By taking away the food, we literally strip mold of its power to grow. Plus, unlike mildewcides and repellents that wear out over time, our enzymes are permanently active for long-lasting results!

Features & Benefits

No mold: Active enzymes stop mold before it has a chance to grow.

Ultra-elastic: Moves with your house. Won't crack or shrink.

Great adhesion: Won't pull away from bathtub (or any other surface).

Easy-to-use: With smooth application, quick water cleanup and no offensive smells.

Zero risk: Satisfaction guaranteed, or we'll pay a contractor to fix it!



Description	Case Pack	Item #	Item UPC	Case UPC
6 OZ. White	12	11070	031525110707	031525911700
6 OZ. Almond	6	11071	031525110714	031525911717
10.5 OZ. White	12	11073	031525110738	031525911731

Where to Use

You can use CleanSeal all around your house, including:

- Bathtubs
- Showers
- Countertops
- Sinks
- Toilets
- Backsplashes
- Kitchen and bathroom fixtures

Adheres to a variety of building materials and other surfaces, including:

- ABS
- Acrylic Sheet
- Brick
- Cinder Block
- Concrete
- Corian*
- Drywall
- Fiberglass
- Formica*
- Glass
- Granite
- Marble
- Mortar
- Nylon
- Polycarbonate
- Polystyrene
- PVC
- Slate
- Stone
- Stucco
- Tile
- Urethane
- Vinyl
- Wood



* Formica® and Corian® are registered trademarks of their respective owners.

CleanSeal™ technology

Bio-based enzymes
actively powering your caulk



Eliminate buildup
of natural oils that feed mold



So mold can't grow
you never have to scrub again!



Did You Know?

Mold and mildew feed on natural oils, like body oils and shower products in the bathroom and grease build-up in the kitchen.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Active Enzyme Caulk for Kitchen & Bath



It's the tough elastic sealant for every job.

It stretches up to 800% of original joint size. (Psst: that's 400% more than silicone!) It's paintable, scrubbable and sticks to just about anything for a permanent seal. Use it around tubs and shower stalls, sinks and counter tops, window frames and door frames, PVC and metal pipes. Apply to wet or dry surfaces, indoors and outdoors. Lexel® clear sealant is 19 times clearer than silicone and won't yellow or cloud up over time. Lexel won't let you down.

Features & Benefits

- Tough:** Survives routine scrubbing with household cleaners, including abrasive cleaners.
- Super elastic:** When the surface moves, Lexel moves. No cracking, tearing, or pulling away for a lasting, permanent seal.
- Instantly waterproof:** No waiting and wondering necessary. Use the sink or shower right away.
- Cured sealant is mold and mildew resistant:** Keep unsightly and unhealthy growths where they belong – in a lab, not on your caulk.
- Sticks to wet surfaces:** Dry weather may be days away. Lexel can be applied today.
- Ultra clear sealant:** In fact, it's 19x clearer than silicone. It won't yellow and won't go cloudy.
- Won't freeze:** Feel free to leave it in your truck or garage overnight. It'll be fine in the morning.



*Lexel White lower VOC is required in these states: CT, DE, DC, IL, IN, ME, MD, MA, MI, NH, OH, NJ, NY, PA, RI, VT, VA, UT.
* White not available in California.



Description	Case Pack	Item #	Item UPC	Case UPC
5 OZ. Clear	12	13013	0 31525 13013 2	0 31525 91313 1
5 OZ. Clear- CA Only	12	13017	031525013017 0	031525 91317 9
5 OZ. White	12	13033	0 31525 13033 0	0 31525 91333 9
5 OZ. White - VOC	12	13043	0 31525 13043 9	0 31525 91343 8
10.5 OZ. Clear	12	13010	0 31525 13010 1	0 31525 91310 0
10.5 OZ. White	12	13030	0 31525 13030 9	0 31525 91330 8
10.5 OZ. White - VOC	12	13080	0 31525 13080 4	0 31525 91380 3

The Tough Elastic Sealant for Every Job

Where to Use

Lexel is excellent for a variety of indoor and outdoor applications, including:

- Countertops & backsplashes
- Ductwork & HVAC
- Kitchen & bathroom fixtures
- Masonry
- Moulding
- Pipes & air conditioners
- Siding
- Sills
- Thresholds
- Trim
- Wallpaper (helps prevent/fix curling)
- Windows & doors
- Wood
- Vents

Sticks to almost anything, including:

- ABS
- Acrylic Sheet
- Aluminum
- Anodized Windows
- Asphalt
- Brass
- Brick
- Cinder Block
- Concrete
- Corian***
- Drywall
- Fiber Cement
- Fiberglass
- Formica***
- Glass
- Mortar
- Nylon
- Polycarbonate
- Polystyrene
- Porcelain
- PVC
- Stone
- Stucco
- Steel
- Tile
- Urethane
- Vinyl
- Wood


**Formica® and Corian® are registered trademarks of their respective owners.

Did You Know?

Lexel won't freeze. Go ahead – leave it in the truck overnight. Scan the code to learn more about Lexel or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us



Lexel®

Stops Leaks Now

When there's a nagging roof leak that others can't fix, or when you don't want to take your chances, use Through the ROOF! Its unique co-polymer rubber formula creates a permanent seal, even when applied in the middle of a rain storm. (It works great on dry surfaces, too.) Through the ROOF! will stick to almost any roofing surface – metal, plastic, asphalt, wood, concrete, and more. Plus, it won't freeze. So go ahead and fix that gutter in a Minnesota winter.

Features & Benefits

Permanently fixes nagging leaks: Proven to last 20 times longer than asphalt. Remains elastic and water-tight year after year.

Do repairs today, even in a rain storm: Sticks to surfaces wet or dry, in temperatures down to 0° and up to 120°F.

Repairs stick, but don't stick out: Tenacious adhesion to a wide variety of roofing materials and won't discolor them. Goes on crystal clear and stays clear.

Easy to use: Easy to apply for professional-looking results every time.

OK to leave in your unheated garage overnight: Through the ROOF! won't freeze.



sticks to
WET
surfaces



Description	Case Pack	Item #	Item UPC	Case UPC
10.5 OZ. Clear	12	14010	0 31525 14010 0	0 31525 91410 7
1 Quart Clear	6	14003	0 31525 14003 2	0 31525 91403 9
1 Quart can Clear - VOC	6	14023	0 31525 14023 0	0 31525 91423 7
1 Gallon Pail Clear	2	14004	0 31525 14004 9	0 31525 91404 6
1 Gallon Pail Clear - VOC	2	14024	0 31525 14024 7	0 31525 91424 4
10.5 OZ. Black	12	14060	0 31525 14060 5	0 31525 91460 2
10.5 OZ. Black - VOC	12	14065	0 31525 14065 0	0 31525 91465 7
10.5 OZ. White	12	14030	0 31525 14030 8	0 31525 91430 5
10.5 OZ. White - VOC	12	14035	0 31525 14035 3	0 31525 91435 0

Seals Leaks That Asphalt Can't!

Where to Use

For repairs that stick, but won't stick out, use Through the ROOF! on common roofing fixtures, including:

- Brick/block/mortar
- Chimneys
- Ductwork
- Flashing
- Gutters
- PVC & ABS vent pipe
- Roof jacks, cables and air conditioning units
- Shingles & shakes
- Skylights
- Vents

Adheres to a variety of building materials and other surfaces, including:

- ABS
- Acrylic Sheet
- Aluminum
- Anodized Windows
- Asphalt
- Brass
- Brick
- Concrete
- Fiber Cement
- Fiberglass
- Glass
- Mortar
- Nylon
- Polycarbonate
- Polystyrene
- Porcelain
- PVC
- Stone
- Stucco
- Steel
- Tile
- Urethane
- Vinyl
- Wood



Did You Know?

Through the ROOF! seals active leaks. Scan the code to learn more about Through the ROOF! or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Through the ROOF!



A Perfect Match

Are you tired of ugly caulk lines? Have you been on an endless search for that perfect custom colored caulk to match your new paint job, only to end up lost and disappointed? Your search is over. Perfectly color-matched caulk is here with eXact color®. Just add your paint, mix it up, and viola – you have an eXact match to any color. No tools required, no mess. Best of all, eXact color has all the same performance properties of Big Stretch®, so you don't have to worry about whether or not it will actually work. Rest easy, stop searching, and use eXact color.

Features & Benefits

Any color - really: Simply mix in any latex paint for an exact match every time.

Mess-free, hassle-free: Easy to mix yourself. No special tools required.

Performance you trust: Same high-performance as Big Stretch, but in your own color.

Easy to use: Easy to smooth and clean-up with water. No special chemicals required.



Description	Case Pack	Item #	Item UPC	Case UPC
Contractor Pack	6	12005	0 31525 12005 8	N/A
DIY Kit	6	12010	0 31525 12010 2	0 31525 91210 3

Where to Use

eXact color is excellent for use in a variety of areas, including:

- Countertops & backsplashes
- Metals
- Plastics
- Siding
- Tile
- Walls & wallpaper
- Windows & doors
- Wood or vinyl moulding, baseboards & trim

Adheres to a variety of building materials and other surfaces, including:

- ABS
- Acrylic Sheet
- Aluminum
- Anodized Windows
- Asphalt
- Brass
- Brick
- Cinder Block
- Concrete
- Corian**
- Drywall
- Fiber Cement
- Fiberglass
- Formica**
- Glass
- Mortar
- Nylon
- Polycarbonate
- Polystyrene
- Porcelain
- PVC
- Steel
- Stone
- Stucco
- Tile
- Urethane
- Vinyl
- Wood

* Formica® and Corian® are registered trademarks of their respective owners.



Tintable Caulk. Just Add Paint.

Did You Know?

eXact color has infinite color possibilities. Scan the code to learn more about eXact color or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us





It's Scary

It's ugly. Your mortar cracks and your stucco streaks. Replacement and repeated repairs are still ugly, not to mention costly and time-consuming. Forget the concrete powder, mix bucket, and big trowel. Just squeeze in Mor-Flexx® to repair crumbly mortar, cracked stucco, or textured walls. It's easy, it's fast, and it works. Mor-Flexx is textured to blend in seamlessly with mortar and stucco, yet is elastic like rubber, able to span cracks for permanent, years-long repairs. With Mor-Flexx, no one will know you had an unsightly crack, including you.

Features & Benefits

Professional-looking results every time: The textured formula is easy to apply – no mixing needed! – even for a novice. Blends in for a seamless, beautiful repair.

Keeps the weather where it belongs - outside: Moves when your home moves to create a permanently waterproof and weatherproof seal.

Helps you avoid repeated repairs: Just say no to crumbly mortar and cracked stucco. Stays soft and elastic over time for a years-long, lasting seal.

Paintable: Paint adheres like a pro, so you can get the color and the texture you want.

Easy to use: Easy to smooth and clean-up with water. No special chemicals required.

OK to leave in your unheated garage overnight: Freeze-thaw stable through 10 cycles.



Description	Case Pack	Item #	Item UPC	Case UPC
10.5 OZ. Beige	12	15010	0 31525 15010 9	0 31525 91510 4
10.5 OZ. Gray	12	15020	0 31525 15020 8	0 31525 91520 3
10.5 OZ. Charcoal	12	15040	0 31525 15040 6	0 31525 91504 1
10.5 OZ. Ironstone	12	15030	0 31525 15030 7	0 31525 91530 2
10.5 OZ. White	12	15016	0 31525 15016 1	0 31525 91516 6

Where to Use

Mor-Flexx adheres to and mimics a variety of textured surfaces, including:

- Brick
- Cinder Block
- Concrete
- Mortar
- Stone
- Faux Stone
- Stucco
- Wood

Adheres to a variety of building materials and other surfaces, including:

- Aluminum
- Anodized Windows
- Architectural Foam
- Brass
- Brick
- Cinder Block
- Concrete
- Drywall
- Fiber Cement
- Mortar
- PVC
- Steel
- Stone
- Faux Stone
- Stucco
- Tile
- Vinyl
- Wood



Textured Like Mortar – Stretches Like Rubber

Did You Know?

Mor-Flexx is textured to blend in with different surfaces so you can get the right match. Scan the code to learn more about Mor-Flexx or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Mor-Flexx



Enough Already!

Step outside and you're likely to see a concrete crack in less than two seconds flat. They're in driveways, sidewalks, garages, patios, pool decks, and basements. Cracks harbor weeds and anthills, and cause toe injuries (ouch!). They're eyesores that never seem to go away. Changes in temperature, moisture, shifting soils, and traffic only make them worse. Enough is enough! Just say no to cracks. Use Slab®: The Serious Fix for Concrete Cracks. Slab is an easy-to-apply, water-based sealant that really stretches – up to 300% of original crack size! – to create a permanent, weatherproof repair that stands the test of time. Your knees and back will thank you for using a product that won't require repeated repairs year after year. Slab sticks, stretches, and stays to banish concrete cracks for good.

Features & Benefits

Moves with your concrete: Extremely elastic to move with your concrete through changes due to shifting soils, temperature, moisture, and traffic to create a weather-proof seal that banishes dandelions, anthills, and other unsightly crack dwellers.

Cuts down on repeated repairs: Just say no to brittle, cracked concrete repairs. In addition to extreme elasticity, Slab is specifically formulated with tenacious adhesion to concrete. This perfect balance of sticking and stretching translates into repairs that last for years, not just months.

Won't stick out: Textured and colored to blend in with aged concrete for a seamless appearance.

Easy to use: Easy to smooth and clean-up with water. No special chemicals required.

OK to leave in your unheated garage overnight: Freeze-thaw stable through 10 cycles.



Description	Case Pack	Item #	Item UPC	Case UPC
10.5 OZ. Gray	12	16210	0 31525 16210 2	0 31525 91610 1

Where to Use

Slab is perfect for repairing large or small cracks in concrete, brick or stone including:

- Driveways
- Garages & sheds
- Horizontal expansion joints
- Patios
- Sidewalks

Adheres to a variety of building materials and other surfaces, including:

- Concrete
- Asphalt
- Brick
- Cinder Block
- EIFS (cured)
- Mortar
- Stone
- Stucco
- Wood



Did You Know?

Slab spans cracks up to 3 inches wide. Scan the code to learn more about Slab or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

The Serious Fix for Concrete Cracks

Slab®

Filler Rope™

Most pre-caulking backer rod requires compromise. It might be water resistant, but is rigid and easily pops out of the joint, requiring an extra set of hands. Or, it might be quite pliable, but soaks up water like a sponge, leaving your joint susceptible to mold and rot. Stop compromising and use Sashco's pre-caulking Filler Rope. It combines the best of both worlds: pliable for an easy fit into most joints, but water-resistant to help prevent moisture infiltration behind the caulking joint. Finally: a backer rod that does exactly what you need.

Features & Benefits


- Easy to fit: soft and pliable so it fits easily into the joint
- Water resistant: unlike open cell backer rod, it repels water to help protect the joint from damage
- Saves money: fills the joint so you use less caulk
- Fully compatible with all substrates and sealants



Where to Use

Use in any caulking joint 1/2" deep or more to create the ideal caulking joint design.

Learn more about the benefits of proper joint design www.sashco.com/diy/caulking-101



Solving Caulking Aisle Confusion

- Colorful merchandising
- Hands-on demo blocks
- High-performance sealants

Description	Case Pack	Item #	Item UPC	Case UPC
3/8" x 20'	12	30100	0 31525 30100 6	NA
5/8" x 20'	12	30110	0 31525 30110 5	NA
1-1/8" x 20'	12	30120	0 31525 30120 4	NA

Soft Cell Backer Rod with Water-Resistant Skin

Did You Know?

Sashco's high-performance sealant section makes it easy to find a solution for most any caulking project around the home.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Sashco Displays & Sales Tools



Big Stretch®
Rolling Rack



Through the Roof!®
2 ft. Countertop Display



Lexel®
Countertop
Display



Big Stretch®
Demo Block



You can't afford
to do it twice.

Big Stretch
Won't Crack . . . It Just Stretches

Doors
Siding
Windows
Trim

New
CleanSeal
No mold. No mildew. No scrubbing needed!

Bathtubs
Showers
Sinks
Countertops

The Tough Elastic Sealant for Every Job
LEXEL
Sticks to Most Anything

Multi-purpose
Including
Kitchen &
Bath

**Through
the ROOF!**
Seals Leaks that Asphalt Can't!

Roofs
Gutters
Flashing
Vents

Mor-Flexx
Textured Like Mortar - Stretches Like Rubber

Mortar
Stucco
Stone
Brick

Slab
The Serious Fix for Concrete Cracks

Sidewalks
Driveways
Expansion
Joints

exact color
sealant
Tintable Caulk. Just Add Paint.

Moulding
Backsplashes
Anywhere to
match color

Did You Know?

These and other Sashco high-impact displays and hands-on selling tools are available for you today.

Visit www.sashco.com/retailers for more information

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

